

REPORT OF DRINKING WATER SAMPLING FOR LEAD CONTENT AT:

**PRARIE VIEW ELEMENTARY SCHOOL
1550 FEISE RD
WENTZVILLE, MISSOURI 63385**



PREPARED FOR:

**MRS. ANGELA HAWKINS
DIRECTOR OF MAINTENANCE
WENTZVILLE R-IV SCHOOL DISTRICT
101 SUPPORT SERVICE DRIVE
WENTZVILLE, MISSOURI 63385**

PREPARED BY:

**J.S. HELD, LLC
#6 MEADOW HEIGHTS PROFESSIONAL PARK
COLLINSVILLE, ILLINOIS 62234
(618) 343-3590**

OCTOBER 2023

DOCUMENT TO BE RETAINED INDEFINITELY

TABLE OF CONTENTS

23-0-448
Drinking Water Sampling for Lead
Wentzville R-IV School District
Prairie View
1550 Feise Rd
Wentzville, Missouri 63385

EXECUTIVE SUMMARY

APPENDIX A Sample Locations/Results

APPENDIX B Laboratory Analysis

APPENDIX C Credentials

EXECUTIVE SUMMARY

October 31st, 2023

Mrs. Angela Hawkins
Director of Maintenance
Wentzville R-IV School District
101 Support Service Drive
Wentzville, Missouri 63385

Subject: Results of Drinking Water Testing for Lead Content

**Site(s): Prairie View Elementary School
1550 Feise Rd
Wentzville, Missouri 63385**

Dear Mrs. Hawkins

On the morning of October 19th, 2023, J.S. Held performed lead testing of multiple water sources at the Prairie View Elementary School located at 1550 Feise Rd in Wentzville, Missouri. The sampling was performed by trained and licensed personnel in accordance with USEPA, HUD and State of Missouri Regulations and Guidelines. Work was performed in accordance with the newly amended Missouri Senate Bill 681.

All inspectors involved with sampling activities had EPA approved training in lead. Certifications for our firm and the inspector collecting the samples are included as Appendix C to this document.

All samples were collected on a “first draw” and “second draw” basis. “First draw” is achieved by allowing the water system to rest for at least eight hours prior to sampling in order to collect any existing debris or settlement within the sample. The intent of this sampling is to replicate “worst case scenario” conditions. J.S. Held proposes to collect a second sample from each source as a “follow-up sample” per the Missouri Senate Bill 681 requirements. As such, J.S. Held inspectors met at the school at 5:00 a.m. to collect water samples before the systems were used by staff or students. The State of Missouri and other regulatory agencies recommend that water sources run for at least thirty seconds and as long as two minutes prior to use to avoid settling within the water system.

Drinking water samples were collected from Forty-Six (46) different locations throughout Prairie View Elementary School during the sampling event. The water samples were collected from drinking fountains and sinks potentially utilized for cooking or drinking activities at the campus. After sample collection, samples were immediately iced down and delivered to Teklab, Inc. located in Collinsville, Illinois following strict chain of custody procedures. Teklab is a NELAP accredited and State of Illinois licensed laboratory specializing in drinking water analysis. Detailed sampling locations and sample results are located in Appendix A of this report.

The analytical sensitivity utilized for the analysis of the water samples submitted identified a reporting limit (RL) of 1.0 micrograms per liter ($\mu\text{g/L}$). The analytical sensitivity utilized for the analysis of the water samples submitted identified a reporting limit (RL) of 1.0 microgram of lead per liter ($\mu\text{g/L}$). This reporting value equates to 1.0 parts per billion (ppb) of lead. The USEPA action level for lead in drinking water is 15.0 ppb for PSW. The USEPA document titled "Lead in Drinking Water at Schools and Child Care Facilities" last updated November 9, 2015 identifies an action level for drinking water collected from a plumbing fixture as 20.0 ppb. **Ninety (90) samples collected from the selected locations at the Prairie View Elementary School reported sample results which were less than the action level.** This information can be found under the National Primary Drinking Water Regulations provided by the EPA, CFR 2010 Title 40. (See Appendix A and B for Sample Results) The Missouri Senate Bill 1075 require potable plumbing fixtures to be less than 5.0 ppb, the levels area above 5 ppb, then action shall be necessary to filter the water from the fixture or clean/repair/replace the fixture and retest until the levels are reported below 5 ppb. **One (1) sample collected from the selected locations at the Prairie View Elementary School reported a sample result which is above 5 ppb** (See Appendix A and B for Sample Results)

The following results are greater than the action level.

Sample ID 03A Kitchen- 3 Bay Dishwash Sprayer – Sink (7.0 ppb)

At this time all water sources testing at 5 ppb or above should be removed from service until filtration can be added or these sources are repaired/replaced and retested reporting under 5 ppb. These sources are subject to additional maintenance activities and response actions prior to use. Before being put back in service. In addition, all sources will be subject to an ongoing maintenance program and re-testing at appropriate intervals. **The district will be required to provide notification to parents and staff within 7 days of receiving these sample results and results shall be posted on the district website within 2 weeks. Any samples reported over 5 ppb should be re-sampled on an annual basis at a minimum.**

J.S. Held recommends that all water sources run for at least thirty seconds prior to use as recommended by the USEPA.

J.S. Held is pleased to provide this information to Wentzville R-IV School District and we appreciate the opportunity to provide quality environmental consulting services. Please call us at (618) 343-3590 if you have any questions or to arrange a meeting to discuss.

Sincerely,
J.S. Held, LLC

Jim Yasitis

Jim Yasitis
Vice President of Environmental Health & Safety

APPENDIX A

SAMPLE LOCATIONS & RESULTS

TABLE 1

**Drinking Water Sampling for Lead Content
Wentzville R-IV School District
Prairie View Elementary School
Sampled: October 19, 2023**

| Sample ID | Location | Water Source | Results (ppb) |
|------------------|---------------------------------|---------------------|----------------------|
| 01A | Kitchen, 2 Bay | Sink | 1.1 |
| 01B | Kitchen, 2 Bay | Sink | <1.0 |
| 02A | Kitchen, Dishwash Sprayer | Sink | 3.7 |
| 02B | Kitchen, Dishwash Sprayer | Sink | <1.0 |
| 03A | Kitchen, 3 Bay Dishwash Sprayer | Sink | 7.0 |
| 03B | Kitchen, 3 Bay Dishwash Sprayer | Sink | 1.2 |
| 04A | Kitchen, 3 Bay (Left) | Sink | 2.0 |
| 04B | Kitchen, 3 Bay (Left) | Sink | <1.0 |
| 05A | Kitchen, 3 Bay (Right) | Sink | 1.1 |
| 05B | Kitchen, 3 Bay (Right) | Sink | <1.0 |
| 06 | Kitchen, Ice Machine | Ice Machine | <1.0 |
| 07A | Near B1 (Left) | Fountain | <1.0 |
| 07B | Near B1 (Left) | Fountain | <1.0 |
| 08A | Near B1 (Left-Center) | Fountain | <1.0 |
| 08B | Near B1 (Left-Center) | Fountain | <1.0 |
| 09A | Near B1 (Right-Center) | Fountain | <1.0 |
| 09B | Near B1 (Right-Center) | Fountain | <1.0 |
| 10A | Near B1 (Right) | Fountain | <1.0 |
| 10B | Near B1 (Right) | Fountain | <1.0 |
| 11A | Near C 26 (Left) | Fountain | <1.0 |
| 11B | Near C 26 (Left) | Fountain | <1.0 |
| 12A | Near C 26 (Left-Center) | Fountain | <1.0 |
| 12B | Near C 26 (Left-Center) | Fountain | <1.0 |
| 13A | Near C 26 (Right-Center) | Fountain | <1.0 |
| 13B | Near C 26 (Right-Center) | Fountain | <1.0 |
| 14A | Near C 26 (Right) | Fountain | <1.0 |
| 14B | Near C 26 (Right) | Fountain | <1.0 |
| 15A | Near C1 (Left) | Fountain | <1.0 |
| 15B | Near C1 (Left) | Fountain | <1.0 |
| 16A | Near C1 (Left Center) | Fountain | <1.0 |
| 16B | Near C1 (Left Center) | Fountain | <1.0 |
| 17A | Near C1 (Right- Center) | Fountain | <1.0 |
| 17B | Near C1 (Right- Center) | Fountain | <1.0 |
| 18A | Near C1 (Right) | Fountain | <1.0 |
| 18B | Near C1 (Right) | Fountain | <1.0 |

| Sample ID | Location | Water Source | Results (ppb) |
|------------------|----------------------------|---------------------|----------------------|
| 19A | Room A6 (Nurse) | Sink | <1.0 |
| 19B | Room A6 (Nurse) | Sink | <1.0 |
| 20A | Room A5 (Teachers' Lounge) | Sink | <1.0 |
| 20B | Room A5 (Teachers' Lounge) | Sink | <1.0 |
| 21 | Room A5 (Teachers' Lounge) | Ice Machine | <1.0 |
| 22A | Near E1 (Left) | Fountain | <1.0 |
| 22B | Near E1 (Left) | Fountain | <1.0 |
| 23A | Near E1 (Left-Center) | Fountain | <1.0 |
| 23B | Near E1 (Left-Center) | Fountain | <1.0 |
| 24A | Near E1 (Right-Center) | Fountain | <1.0 |
| 24B | Near E1 (Right-Center) | Fountain | <1.0 |
| 25A | Near E1 (Right) | Fountain | <1.0 |
| 25B | Near E1 (Right) | Fountain | <1.0 |
| 26A | Near D2 (Left) | Fountain | <1.0 |
| 26B | Near D2 (Left) | Fountain | <1.0 |
| 27A | Near D2 (Left-Center) | Fountain | <1.0 |
| 27B | Near D2 (Left-Center) | Fountain | <1.0 |
| 28A | Near D2 (Right-Center) | Fountain | <1.0 |
| 28B | Near D2 (Right-Center) | Fountain | <1.0 |
| 29A | Near D2 (Right) | Fountain | <1.0 |
| 29B | Near D2 (Right) | Fountain | <1.0 |
| 30A | Library Workroom | Sink | <1.0 |
| 30B | Library Workroom | Sink | <1.0 |
| 31A | Near F2 (Left) | Fountain | <1.0 |
| 31B | Near F2 (Left) | Fountain | <1.0 |
| 32A | Near F2 (Left Center) | Fountain | <1.0 |
| 32B | Near F2 (Left Center) | Fountain | <1.0 |
| 33A | Near F2 (Right Center) | Fountain | <1.0 |
| 33B | Near F2 (Right Center) | Fountain | <1.0 |
| 34A | Near F2 (Right) | Fountain | <1.0 |
| 34B | Near F2 (Right) | Fountain | <1.0 |
| 35A | Room F13 | Sink | <1.0 |
| 35B | Room F13 | Sink | <1.0 |
| 36A | Room F14 | Sink | <1.0 |
| 36B | Room F14 | Sink | <1.0 |
| 37A | Room F16 | Sink | <1.0 |
| 37B | Room F16 | Sink | <1.0 |
| 38A | Room F15 | Sink | <1.0 |
| 38B | Room F15 | Sink | <1.0 |
| 39A | Near F13 (Left) | Fountain | <1.0 |
| 39B | Near F13 (Left) | Fountain | <1.0 |
| 40A | Near F13 (Right) | Fountain | <1.0 |
| 40B | Near F13 (Right) | Fountain | <1.0 |
| 41A | Near F16 (Left) | Fountain | <1.0 |
| 41B | Near F16 (Left) | Fountain | <1.0 |

| Sample ID | Location | Water Source | Results (ppb) |
|------------------|-------------------------|---------------------|----------------------|
| 42A | Near F16 (Right) | Fountain | <1.0 |
| 42B | Near F16 (Right) | Fountain | <1.0 |
| 43A | Near F17 (Left) | Fountain | <1.0 |
| 43B | Near F17 (Left) | Fountain | <1.0 |
| 44A | Near F17 (Left-Center) | Fountain | <1.0 |
| 44B | Near F17 (Left-Center) | Fountain | <1.0 |
| 45A | Near F17 (Right-Center) | Fountain | <1.0 |
| 45B | Near F17 (Right-Center) | Fountain | <1.0 |
| 46A | Near F17 (Right) | Fountain | <1.0 |
| 46B | Near F17 (Right) | Fountain | <1.0 |



Water sources in excess of 20 ppb. Recommendation is to remove from service immediately. Do not return to service until re-testing confirms mitigation was effective.



Water source is 5-19.9 ppb, but still displays evidence of lead. Recommendation is to re-test source on an annual basis at a minimum.


Sample Legend

“A” = First Draw

“B” = Second Draw



Prairie View Elementary
1550 Feise Road
O'Fallon, MO 63368



APPENDIX B

LABORATORY ANALYSIS

October 30, 2023

Jim Yasitis
Environmental Consultants, LLC
#6 Meadow Heights Professional Park
Collinsville, IL 62234
TEL: (618) 343-3590
FAX: (618) 343-3597



| | |
|-----------|---------|
| Illinois | 100226 |
| Kansas | E-10374 |
| Louisiana | 05002 |
| Louisiana | 05003 |
| Oklahoma | 9978 |

RE: Wentzville SD Water Sampling 231000104
PrairieView

WorkOrder: 23101509

Dear Jim Yasitis:

TEKLAB, INC received 60 samples on 10/19/2023 8:21:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Marvin L. Darling
Project Manager
(618)344-1004 ex 41
mdarling@teklabinc.com

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

This reporting package includes the following:

| | |
|----------------------|----------|
| Cover Letter | 1 |
| Report Contents | 2 |
| Definitions | 3 |
| Case Narrative | 5 |
| Accreditations | 6 |
| Laboratory Results | 7 |
| Receiving Check List | 9 |
| Chain of Custody | Appended |

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Environmental Consultants, LLC**Work Order:** 23101509**Client Project:** Wentzville SD Water Sampling 231000104 PrairieView**Report Date:** 30-Oct-23

| State | Dept | Cert # | NELAP | Exp Date | Lab |
|-----------|------|---------|-------|-----------|--------------|
| Illinois | IEPA | 100226 | NELAP | 1/31/2024 | Collinsville |
| Kansas | KDHE | E-10374 | NELAP | 4/30/2024 | Collinsville |
| Louisiana | LDEQ | 05002 | NELAP | 6/30/2024 | Collinsville |
| Louisiana | LDEQ | 05003 | NELAP | 6/30/2024 | Collinsville |
| Oklahoma | ODEQ | 9978 | NELAP | 8/31/2024 | Collinsville |
| Arkansas | ADEQ | 88-0966 | | 3/14/2024 | Collinsville |
| Illinois | IDPH | 17584 | | 5/31/2025 | Collinsville |
| Iowa | IDNR | 430 | | 6/1/2024 | Collinsville |
| Kentucky | UST | 0073 | | 1/31/2024 | Collinsville |
| Missouri | MDNR | 00930 | | 5/31/2023 | Collinsville |
| Missouri | MDNR | 930 | | 1/31/2025 | Collinsville |



Laboratory Results

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Matrix: DRINKING WATER

| Sample ID | Client Sample ID | Certification | Qual | RL | Result | Units | DF | Date Analyzed | Date Collected |
|---|------------------|---------------|------|-----|--------|-------|----|------------------|-----------------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) | | | | | | | | | |
| Lead | | | | | | | | | |
| 23101509-001A | 01A | NELAP | | 1.0 | 1.1 | µg/L | 1 | 10/25/2023 17:16 | 10/19/2023 3:00 |
| 23101509-002A | 01B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:20 | 10/19/2023 3:00 |
| 23101509-003A | 02A | NELAP | | 1.0 | 3.7 | µg/L | 1 | 10/25/2023 10:34 | 10/19/2023 3:00 |
| 23101509-004A | 02B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 10:38 | 10/19/2023 3:00 |
| 23101509-005A | 03A | NELAP | | 1.0 | 7.0 | µg/L | 1 | 10/25/2023 10:43 | 10/19/2023 3:00 |
| 23101509-006A | 03B | NELAP | | 1.0 | 1.2 | µg/L | 1 | 10/25/2023 11:04 | 10/19/2023 3:00 |
| 23101509-007A | 04A | NELAP | | 1.0 | 2.0 | µg/L | 1 | 10/25/2023 10:47 | 10/19/2023 3:00 |
| 23101509-008A | 04B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 10:51 | 10/19/2023 3:00 |
| 23101509-009A | 05A | NELAP | | 1.0 | 1.1 | µg/L | 1 | 10/25/2023 10:56 | 10/19/2023 3:00 |
| 23101509-010A | 05B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 11:00 | 10/19/2023 3:00 |
| 23101509-011A | 06 | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 11:48 | 10/19/2023 3:00 |
| 23101509-012A | 07A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 11:53 | 10/19/2023 3:00 |
| 23101509-013A | 07B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:18 | 10/19/2023 3:00 |
| 23101509-014A | 08A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 11:57 | 10/19/2023 3:00 |
| 23101509-015A | 08B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:01 | 10/19/2023 3:00 |
| 23101509-016A | 09A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:05 | 10/19/2023 3:00 |
| 23101509-017A | 09B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:10 | 10/19/2023 3:00 |
| 23101509-018A | 10A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:14 | 10/19/2023 3:00 |
| 23101509-019A | 10B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:49 | 10/19/2023 3:00 |
| 23101509-020A | 11A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:53 | 10/19/2023 3:00 |
| 23101509-021A | 11B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 12:57 | 10/19/2023 3:00 |
| 23101509-022A | 12A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:02 | 10/19/2023 3:00 |
| 23101509-023A | 12B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:06 | 10/19/2023 3:00 |
| 23101509-024A | 13A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:10 | 10/19/2023 3:00 |
| 23101509-025A | 13B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:14 | 10/19/2023 3:00 |
| 23101509-026A | 14A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:19 | 10/19/2023 3:00 |
| 23101509-027A | 14B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:23 | 10/19/2023 3:00 |
| 23101509-028A | 15A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 13:27 | 10/19/2023 3:00 |
| 23101509-029A | 15B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 9:53 | 10/19/2023 3:00 |
| 23101509-030A | 16A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 9:57 | 10/19/2023 3:00 |
| 23101509-031A | 16B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:01 | 10/19/2023 3:00 |
| 23101509-032A | 17A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:04 | 10/19/2023 3:00 |
| 23101509-033A | 17B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:08 | 10/19/2023 3:00 |
| 23101509-034A | 18A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:19 | 10/19/2023 3:00 |
| 23101509-035A | 18B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:23 | 10/19/2023 3:00 |
| 23101509-036A | 19A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/27/2023 10:09 | 10/19/2023 3:00 |
| 23101509-037A | 19B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/28/2023 4:13 | 10/19/2023 3:00 |
| 23101509-038A | 20A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/28/2023 4:17 | 10/19/2023 3:00 |
| 23101509-039A | 20B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:48 | 10/19/2023 3:00 |
| 23101509-040A | 21 | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 10:52 | 10/19/2023 3:00 |
| 23101509-041A | 22A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 11:03 | 10/19/2023 3:00 |
| 23101509-042A | 22B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 11:07 | 10/19/2023 3:00 |
| 23101509-043A | 23A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 11:10 | 10/19/2023 3:00 |
| 23101509-044A | 23B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 11:14 | 10/19/2023 3:00 |
| 23101509-045A | 24A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:20 | 10/19/2023 3:00 |
| 23101509-046A | 24B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 15:50 | 10/19/2023 3:00 |
| 23101509-047A | 25A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 15:54 | 10/19/2023 3:00 |
| 23101509-048A | 25B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 15:58 | 10/19/2023 3:00 |



Laboratory Results

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Matrix: DRINKING WATER

| Sample ID | Client Sample ID | Certification | Qual | RL | Result | Units | DF | Date Analyzed | Date Collected |
|--|------------------|---------------|------|-----|--------|-------|----|------------------|-----------------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) | | | | | | | | | |
| Lead | | | | | | | | | |
| 23101509-049A | 26A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:03 | 10/19/2023 3:00 |
| 23101509-050A | 26B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:07 | 10/19/2023 3:00 |
| 23101509-051A | 27A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:11 | 10/19/2023 3:00 |
| 23101509-052A | 27B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:16 | 10/19/2023 3:00 |
| 23101509-053A | 28A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:50 | 10/19/2023 3:00 |
| 23101509-054A | 28B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:54 | 10/19/2023 3:00 |
| 23101509-055A | 29A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 16:59 | 10/19/2023 3:00 |
| 23101509-056A | 29B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:03 | 10/19/2023 3:00 |
| 23101509-057A | 30A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:07 | 10/19/2023 3:00 |
| 23101509-058A | 30B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:12 | 10/19/2023 3:00 |
| 23101509-059A | 31A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:16 | 10/19/2023 3:00 |
| 23101509-060A | 31B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:50 | 10/19/2023 3:00 |



Receiving Check List

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101509

Client Project: Wentzville SD Water Sampling 231000104 PrairieView

Report Date: 30-Oct-23

Carrier: Devon Rathbun

Received By: HAW

Completed by:

Elizabeth A. Hurley

Reviewed by:

Ellie Hopkins

On:

19-Oct-23

Elizabeth A. Hurley

On:

20-Oct-23

Ellie Hopkins

Pages to follow:

Chain of custody

6

Extra pages included

0

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Temp °C

NA

Type of thermal preservation?

None ☒

Ice ☐

Blue Ice ☐

Dry Ice

☐

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Reported field parameters measured:

Field ☐

Lab ☐

NA ☒

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?

Yes ☐

No ☐

No VOA vials ☒

Water - TOX containers have zero headspace?

Yes ☐

No ☐

No TOX containers ☒

Water - pH acceptable upon receipt?

Yes ☒

No ☐

NA ☐

NPDES/CWA TCN interferences checked/treated in the field?

Yes ☐

No ☐

NA ☒

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

pg. 1 of 9 Work Order # 23101509

Client: J. S. Held
Address: 6 Meadow Heights Prof Park
City / State / Zip: Collinsville, IL 62234
Contact: Jim Yasitis Phone: 618-343-3590
E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Preserved in: ☒ Lab ☐ Field FOR LAB USE ONLY

COMMENTS:

Prarie View Elementary

Please report in ppb

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

[illegible]

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she has the authority to sign on behalf of client.

pg. 2 of 9 Work Order # 23101509

Client: J. S. Held
Address: 6 Meadow Heights Prof Park
City / State / Zip: Collinsville, IL 62234
Contact: Jim Yasitis Phone: 618-343-3590
E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Preserved in: ☐ Lab ☐ Field **FOR LAB USE ONLY**

Comments:

Prone view Elementary

Please report in ppb

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

[illegible]

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement on the reverse side, and that he/she

CHAIN OF CUSTODY

pg. 3 of 9 Work Order # 23101909

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005

Client: J.S. Held
 Address: 6 Meadow Heights Prof Park
 City / State / Zip: Collinsville, IL 62234
 Contact: Jim Yasitis Phone: 618-343-3590
 E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Samples on: ☐ Ice ☐ Blue Ice ☐ Notes
 Preserved in: ☐ Lab ☐ Field FOR LAB USE ONLY
 Lab Notes:

Comments:
Please view Elementary
Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

| Project Name / Number | | Sample Collector's Name | | MATRIX | | INDICATE ANALYSIS REQUESTED | | | | | | | | | | | | | | | | | |
|--|-----------------------|-------------------------|--------|--------------------------|------|--------------------------------|-----|------|--------------------|-------|-------|----------------|------|----------------|-----------|-----------|--|--------|--|-----------|--|-----------|--|
| Wentzville SD Water Sampling 231000104 | | Brad Frisch | | | | | | | | | | | | | | | | | | | | | |
| Results Requested | | Billing Instructions | | # and Type of Containers | | | | | | | | Water | | Drinking Water | | Soil | | Sludge | | Sp. Waste | | Lead (Pb) | |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) | | | | | | | | | | | | | | | | | | | | | | | |
| Lab Use Only | Sample Identification | Date/Time Sampled | UNPRES | HNO ₃ | NaOH | H ₂ SO ₄ | HCL | MeOH | NaHSO ₄ | Other | Water | Drinking Water | Soil | Sludge | Sp. Waste | Lead (Pb) | | | | | | | |
| | 11B | 10-19-23 3:00 | X | | | | | | | | X | | | | | X | | | | | | | |
| | 12A | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 12B | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 13A | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 13B | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 14A | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 14B | | N | | | | | | | | X | | | | | X | | | | | | | |
| | 15A | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 15B | | X | | | | | | | | X | | | | | X | | | | | | | |
| | 16A | | X | | | | | | | | X | | | | | X | | | | | | | |

| Relinquished By | Date / Time | Received By | Date / Time |
|-----------------|-------------|-------------|---------------|
| Devon Ralston | 10-19-23 | Harsh W | 10/19/23 0821 |
| | | | |
| | | | |
| | | | |

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she agrees to the same.

CHAIN OF CUSTODY

pg. 4 of 9 Work Order # 23101509

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005

Client: J. S. Held
Address: 6 Meadow Heights Prof Park
City / State / Zip: Collinsville, IL 62234
Contact: Jim Yasitis Phone: 618-343-3590
E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Samples on: ☐ Ice ☐ Blue Ice ☐ No Ice _____ °C

Preserved in: ☐ Lab ☐ Field FOR LAB USE ONLY

Lab Notes:

Comments:

Probe view Elementary

Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

[illegible]

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she is:

CHAIN OF CUSTODY

pg. 6 of 9 Work Order # 23101509

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005

Client: J. S. Held
 Address: 6 Meadow Heights Prof Park
 City / State / Zip: Collinsville, IL 62234
 Contact: Jim Yasitis Phone: 618-343-3590
 E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Sampled on: ☐ Ice ☐ Blue Ice ☐ No Ice _____ °C
 Preserved in: ☐ Lab ☐ Field FOR LAB USE ONLY
 Lab Notes:

Comments:
Prove view Elementary
Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

| Project Name / Number | | Sample Collector's Name | | MATRIX | | INDICATE ANALYSIS REQUESTED | | | | | | | | | | | | | |
|---|-----------------------|-------------------------|--------|--------------------------|------|--------------------------------|----------------|------|--------------------|-----------|-----------|--|--|--|--|--|--|--|--|
| Results Requested | | Billing Instructions | | # and Type of Containers | | Water | Drinking Water | Soil | Sludge | Sp. Waste | Lead (Pb) | | | | | | | | |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other _____ <input type="checkbox"/> 3 Day (50% Surcharge) | | | | | | | | | | | | | | | | | | | |
| Lab Use Only | Sample Identification | Date/Time Sampled | UNPRES | HNO ₃ | NaOH | H ₂ SO ₄ | HCL | MeOH | NaHSO ₄ | Other | | | | | | | | | |
| 23101509 | 27A | 10-19-23 3:00 | X | | | | | | | | X | | | | | | | | |
| 23101509 | 27B | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 28A | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 28B | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 29A | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 29B | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 30A | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 30B | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 31A | | X | | | | | | | | X | | | | | | | | |
| 23101509 | 31B | | X | | | | | | | | X | | | | | | | | |

| Relinquished By | Date / Time | Received By | Date / Time |
|-----------------|-------------|-------------|---------------|
| Devon Rasmussen | 10-19-23 | David W. | 10/19/23 0821 |
| | | | |
| | | | |

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she has signed and dated this agreement.

October 30, 2023

Jim Yasitis
Environmental Consultants, LLC
#6 Meadow Heights Professional Park
Collinsville, IL 62234
TEL: (618) 343-3590
FAX: (618) 343-3597



| | |
|-----------|---------|
| Illinois | 100226 |
| Kansas | E-10374 |
| Louisiana | 05002 |
| Louisiana | 05003 |
| Oklahoma | 9978 |

RE: Wentzville SD Water Sampling 231000104 Peine
Ridge

WorkOrder: 23101648

Dear Jim Yasitis:

TEKLAB, INC received 24 samples on 10/18/2023 8:27:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Marvin L. Darling
Project Manager
(618)344-1004 ex 41
mdarling@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

This reporting package includes the following:

| | |
|----------------------|----------|
| Cover Letter | 1 |
| Report Contents | 2 |
| Definitions | 3 |
| Case Narrative | 5 |
| Accreditations | 6 |
| Laboratory Results | 7 |
| Receiving Check List | 8 |
| Chain of Custody | Appended |

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Environmental Consultants, LLC**Work Order:** 23101648**Client Project:** Wentzville SD Water Sampling 231000104 Peine Ridge**Report Date:** 30-Oct-23

| State | Dept | Cert # | NELAP | Exp Date | Lab |
|-----------|------|---------|-------|-----------|--------------|
| Illinois | IEPA | 100226 | NELAP | 1/31/2024 | Collinsville |
| Kansas | KDHE | E-10374 | NELAP | 4/30/2024 | Collinsville |
| Louisiana | LDEQ | 05002 | NELAP | 6/30/2024 | Collinsville |
| Louisiana | LDEQ | 05003 | NELAP | 6/30/2024 | Collinsville |
| Oklahoma | ODEQ | 9978 | NELAP | 8/31/2024 | Collinsville |
| Arkansas | ADEQ | 88-0966 | | 3/14/2024 | Collinsville |
| Illinois | IDPH | 17584 | | 5/31/2025 | Collinsville |
| Iowa | IDNR | 430 | | 6/1/2024 | Collinsville |
| Kentucky | UST | 0073 | | 1/31/2024 | Collinsville |
| Missouri | MDNR | 00930 | | 5/31/2023 | Collinsville |
| Missouri | MDNR | 930 | | 1/31/2025 | Collinsville |



Laboratory Results

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

Matrix: DRINKING WATER

| Sample ID | Client Sample ID | Certification | Qual | RL | Result | Units | DF | Date Analyzed | Date Collected |
|--|------------------|---------------|------|-----|--------|-------|----|------------------|-----------------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) | | | | | | | | | |
| Lead | | | | | | | | | |
| 23101648-001A | 32A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:55 | 10/18/2023 3:00 |
| 23101648-002A | 32B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/25/2023 17:20 | 10/18/2023 3:00 |
| 23101648-003A | 33A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:15 | 10/18/2023 3:00 |
| 23101648-004A | 33B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:19 | 10/18/2023 3:00 |
| 23101648-005A | 34A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:24 | 10/18/2023 3:00 |
| 23101648-006A | 34B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:37 | 10/18/2023 3:00 |
| 23101648-007A | 35A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:28 | 10/18/2023 3:00 |
| 23101648-008A | 35B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 21:32 | 10/18/2023 3:00 |
| 23101648-009A | 36A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 22:07 | 10/18/2023 3:00 |
| 23101648-010A | 36B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 22:11 | 10/18/2023 3:00 |
| 23101648-011A | 37A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 22:16 | 10/18/2023 3:00 |
| 23101648-012A | 37B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 22:20 | 10/18/2023 3:00 |
| 23101648-013A | 38A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 18:27 | 10/18/2023 3:00 |
| 23101648-014A | 38B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 18:31 | 10/18/2023 3:00 |
| 23101648-015A | 39A | NELAP | | 1.0 | 1.1 | µg/L | 1 | 10/26/2023 19:05 | 10/18/2023 3:00 |
| 23101648-016A | 39B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 18:35 | 10/18/2023 3:00 |
| 23101648-017A | 40A | NELAP | | 1.0 | 1.1 | µg/L | 1 | 10/26/2023 19:10 | 10/18/2023 3:00 |
| 23101648-018A | 40B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:14 | 10/18/2023 3:00 |
| 23101648-019A | 41A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:18 | 10/18/2023 3:00 |
| 23101648-020A | 41B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:23 | 10/18/2023 3:00 |
| 23101648-021A | 42A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:27 | 10/18/2023 3:00 |
| 23101648-022A | 42B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:31 | 10/18/2023 3:00 |
| 23101648-023A | 43A | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:36 | 10/18/2023 3:00 |
| 23101648-024A | 43B | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 10/26/2023 19:40 | 10/18/2023 3:00 |



Receiving Check List

<http://www.teklabinc.com/>

Client: Environmental Consultants, LLC

Work Order: 23101648

Client Project: Wentzville SD Water Sampling 231000104 Peine Ridge

Report Date: 30-Oct-23

Carrier: Devon Rathbun

Received By: HAW

Completed by:

Elizabeth A. Hurley

Reviewed by:

Ellie Hopkins

On:

19-Oct-23

Elizabeth A. Hurley

On:

20-Oct-23

Ellie Hopkins

Pages to follow:

Chain of custody

3

Extra pages included

3

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Temp °C

NA

Type of thermal preservation?

None ☒

Ice ☐

Blue Ice ☐

Dry Ice

☐

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Reported field parameters measured:

Field ☐

Lab ☐

NA ☒

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?

Yes ☐

No ☐

No VOA vials ☒

Water - TOX containers have zero headspace?

Yes ☐

No ☐

No TOX containers ☒

Water - pH acceptable upon receipt?

Yes ☒

No ☐

NA ☐

NPDES/CWA TCN interferences checked/treated in the field?

Yes ☐

No ☐

NA ☒

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

pg. 7 of 9 Work Order # 23101307 ²³¹⁰¹⁶⁹⁸

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005 ^{3E 00} 11/1/03

Samples on: ☐ Ice ☐ Blue Ice ☒ No Ice NA °C
Preserved in: ☒ Lab ☐ Field FOR LAB USE ONLY
Lab Notes:
Comments:
Peine Ridge
Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

[illegible]

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she has the authority to sign on behalf of client.

WHITE I AD 7508 N 4000 - -

CHAIN OF CUSTODY

pg. 8 of 9 Work Order # 23101307

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005

Client: J. S. Held
 Address: 6 Meadow Heights Prof Park
 City / State / Zip: Collinsville, IL 62234
 Contact: Jim Yasitis Phone: 618-343-3590
 E-Mail: james.yasitis@jsheld.com Fax: 618-343-3597

Samples on: ☐ Ice ☐ Blue Ice ☐ None
 Preserved in: ☐ Lab ☐ Field **FOR LAB USE ONLY**
 Lab Notes:

Comments:

Peine Ridge

Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

| Project Name / Number | | Sample Collector's Name | | MATRIX | | INDICATE ANALYSIS REQUESTED | | | | | | | | | | | | | | | | | |
|--|-----------------------|-------------------------|--------|--------------------------|------|--------------------------------|-----|------|--------------------|-------|-------|----------------|------|----------------|-----------|-----------|--|--------|--|-----------|--|-----------|--|
| Wentzville SD Water Sampling 231000104 | | Brad Frisch | | | | | | | | | | | | | | | | | | | | | |
| Results Requested | | Billing Instructions | | # and Type of Containers | | | | | | | | Water | | Drinking Water | | Soil | | Sludge | | Sp. Waste | | Lead (Pb) | |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) | | | | | | | | | | | | | | | | | | | | | | | |
| Lab Use Only | Sample Identification | Date/Time Sampled | UNPRES | HNO ₃ | NaOH | H ₂ SO ₄ | HCL | MeOH | NaHSO ₄ | Other | Water | Drinking Water | Soil | Sludge | Sp. Waste | Lead (Pb) | | | | | | | |
| 37A | 37A | 10-15-23 3:00 | X | | | | | | | | X | X | | | | X | | | | | | | |
| 37B | 37B | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 38A | 38A | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 38B | 38B | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 39A | 39A | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 39B | 39B | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 40A | 40A | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 40B | 40B | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 41A | 41A | | X | | | | | | | | X | X | | | | X | | | | | | | |
| 41B | 41B | | X | | | | | | | | X | X | | | | X | | | | | | | |

| Relinquished By | Date / Time | Received By | Date / Time |
|-----------------|-------------|-------------|--------------|
| Dawn Rathbun | 10-15-23 | Harold Wan | 10/18/23 827 |
| | | | |
| | | | |
| | | | |

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she has the authority to sign.

pg. 9 of 9 Work Order # 23101307

TEKLAB, INC. 5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618) 344-1004 ~ Fax: (618) 344-1005

Sample on: ☐ Ice ☐ Blue Ice ☐ No Ice _____ °C
Preserved in: ☐ Lab ☐ Field FOR LAB USE ONLY
Lab Notes:

Comments:

Fine Ridge
Please report in ppb.

- Are these samples known to be involved in litigation? If yes, a surcharge will apply. ☐ Yes ☒ No
- Are these samples known to be hazardous? ☐ Yes ☒ No
- Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in comment section. ☒ Yes ☐ No

[illegible]

The individual signing this agreement on behalf of client acknowledges that he/she has read and understands the terms and conditions of this agreement, on the reverse side, and that he/she has the authority to sign on behalf of client.

WHITE I AM WITH YOU - -

TABLE 1

Drinking Water Sampling for Lead Content
Wentzville R-IV School District
Peine Ridge Elementary School
Sampled: October 18, 2023

| Sample ID | Location | Water Source | Results (ppb) |
|------------------|---|---------------------|----------------------|
| 01A | Kitchen, Across from dish wash station (Left) | Sink | |
| 01B | Kitchen, Across from dish wash station (Left) | Sink | |
| 02A | Kitchen, Across from dish wash station (Middle) | Sink | |
| 02B | Kitchen, Across from dish wash station (Middle) | Sink | |
| 03A | Kitchen, Across From dish wash station (Right) | Sink | |
| 03B | Kitchen, Across From dish wash station (Right) | Sink | |
| 04A | Kitchen, Dish washing station | Sink | |
| 04B | Kitchen, Dish washing station | Sink | |
| 05 | Kitchen, By Freezer | Ice Machine | |
| 06A | Kitchen, Across from freezer | Sink | |
| 06B | Kitchen, Across from freezer | Sink | |
| 07A | Cafeteria Entrance Right Set (Right) | Fountain | |
| 07B | Cafeteria Entrance Right Set (Right) | Fountain | |
| 08A | Cafeteria Entrance Right Set (Left) | Fountain | |
| 08B | Cafeteria Entrance Right Set (Left) | Fountain | |
| 09A | Cafeteria Entrance Left Set (Right) | Fountain | |
| 09B | Cafeteria Entrance Left Set (Right) | Fountain | |
| 10A | Cafeteria Entrance Left Set (Left) | Fountain | |
| 10B | Cafeteria Entrance Left Set (Left) | Fountain | |
| 11A | By Main Office Right Set (Right) | Fountain | |
| 11B | By Main Office Right Set (Right) | Fountain | |
| 12A | By Main Office Right Set (Left) | Fountain | |
| 12B | By Main Office Right Set (Left) | Fountain | |
| 13A | By Main Office Left Set (Right) | Fountain | |
| 13B | By Main Office Left Set (Right) | Fountain | |
| 14A | By Main Office Left Set (Left) | Fountain | |
| 14B | By Main Office Left Set (Left) | Fountain | |
| 15A | Nurses Office | Sink | |
| 15B | Nurses Office | Sink | |
| 16A | Room A5 Main Office | Sink | |
| 16B | Room A5 Main Office | Sink | |
| 17 | Room A5 Main Office | Ice Machine | |
| 18A | By E1 Gym Right Set (Right) | Fountain | |
| 18B | By E1 Gym Right Set (Right) | Fountain | |
| 19A | By E1 Gym Right Set (Left) | Fountain | |
| 19B | By E1 Gym Right Set (Left) | Fountain | |
| 20A | By E1 Gym Left Set (Right) | Fountain | |

23/10/367/23/10/16

| Sample ID | Location | Water Source | Results (ppb) |
|-----------|---|--------------|---------------|
| 20B | By El Gym Left Set (Right) | Fountain | |
| 21A | By El Gym Left Set (Left) | Fountain | |
| 21B | By El Gym Left Set (Left) | Fountain | |
| 22A | Girls Restroom near Library Right Set (Right) | Fountain | |
| 22B | Girls Restroom near Library Right Set (Right) | Fountain | |
| 23A | Girls Restroom near Library Right Set (Left) | Fountain | |
| 23B | Girls Restroom near Library Right Set (Left) | Fountain | |
| 24A | Girls Restroom near Library Left Set (Right) | Fountain | |
| 24B | Girls Restroom near Library Left Set (Right) | Fountain | |
| 25A | Girls Restroom near Library Left Set (Left) | Fountain | |
| 25B | Girls Restroom near Library Left Set (Left) | Fountain | |
| 26A | Boys Restroom near Library Right Set (Right) | Fountain | |
| 26B | Boys Restroom near Library Right Set (Right) | Fountain | |
| 27A | Boys Restroom near Library Right Set (Left) | Fountain | |
| 27B | Boys Restroom near Library Right Set (Left) | Fountain | |
| 28A | Boys Restroom near Library Left Set (Right) | Fountain | |
| 28B | Boys Restroom near Library Left Set (Right) | Fountain | |
| 29A | Library | Sink | |
| 29B | Library | Sink | |
| 30A | By Room F14 (Right) | Fountain | |
| 30B | By Room F14 (Right) | Fountain | |
| 31A | By Room F14 (Left) | Fountain | |
| 31B | By Room F14 (Left) | Fountain | |
| 32A | By Room F19 (Right) | Fountain | |
| 32B | By Room F19 (Right) | Fountain | |
| 33A | By Room F19 (Left) | Fountain | |
| 33B | By Room F19 (Left) | Fountain | |
| 34A | By Room F18 (Right) | Fountain | |
| 34B | By Room F18 (Right) | Fountain | |
| 35A | By Room F22 Right Set (Right) | Fountain | |
| 35B | By Room F22 Right Set (Right) | Fountain | |
| 36A | By Room F22 Right Set (Left) | Fountain | |
| 36B | By Room F22 Right Set (Left) | Fountain | |
| 37A | By Room F22 Left Set (Right) | Fountain | |
| 37B | By Room F22 Left Set (Right) | Fountain | |
| 38A | By Room F22 Left Set (Left) | Fountain | |
| 38B | By Room F22 Left Set (Left) | Fountain | |
| 39A | Room F18 Kindergarten | Sink | |
| 39B | Room F18 Kindergarten | Sink | |
| 40A | Room F19 Kindergarten | Sink | |
| 40B | Room F19 Kindergarten | Sink | |
| 41A | Room F20 Kindergarten | Sink | |
| 41B | Room F20 Kindergarten | Sink | |
| 42A | Room F21 Kindergarten | Sink | |
| 42B | Room F21 Kindergarten | Sink | |
| 43A | By Room F18 (Left) | Fountain | |
| 43B | By Room F18 (Left) | Fountain | |

23101367 / 23101648



Water sources in excess of 20 ppb. Recommendation is to remove from service immediately. Do not return to service until re-testing confirms mitigation was effective.

#####

Water source is < 20 ppb, but still displays evidence of lead. Recommendation is to re-test source on an annual basis at a minimum

Sample Legend

“A” = First Draw

“B” = Second Draw

83101367/23121048

APPENDIX C

CREDENTIALS

STATE OF MISSOURI
DEPARTMENT OF HEALTH AND SENIOR SERVICES

LEAD OCCUPATION LICENSE REGISTRATION

Issued to:

Bradley M. Frisch

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

Lead Risk Assessor
Category of License

Issuance Date: **3/1/2022**
Expiration Date: **3/1/2024**
License Number: **160229-300004900**



Paula F. Nickelson

Paula F. Nickelson
Acting Director
Department of Health and Senior Services

Lead Licensing Program, PO Box 570, Jefferson City, MO 65102

COLLEGE FOR
PUBLIC HEALTH & SOCIAL JUSTICE
SAINT LOUIS UNIVERSITY

CENTER FOR ENVIRONMENTAL EDUCATION AND TRAINING

verifies that

Brad Frisch

2668 Kettering Court, Saint Charles, MO 63303

has attended 8 contact hours of training and successfully passed an examination

Lead Risk Assessor Refresher

St. Louis, MO

Certificate # CEET 325 - 3/7/2022 - 117395

Examination Date: 3/7/2022

CEUs: 0.8

Certificate expiration is 3 years from examination date for Illinois Dept. of Public Health

Center for Environmental Education and Training, 3545 Lafayette, St. Louis, MO 63104

(314) 977-8256 sls.edu/x39753.xml

This training course has been accredited by the Illinois Department of Public Health, and by the Missouri Department of Health & Senior Services.

Christopher C. King
Christopher C. King PhD
Director, Center for Environmental
Education and Training

State of Missouri
Department of Natural Resources

**Certificate of Approval
for Chemical Laboratory Service**

This is to certify that

Teklab, Incorporated

is hereby approved to perform the analysis of drinking water as specified on the
Certified Parameter List, which must accompany this certificate to be valid.


Certification Number 930

Date Issued December 13, 2021

Expiration Date January 31, 2025



Laboratory Certification Authority, Public Drinking Water Branch
Missouri Department of Natural Resources



Laboratory Certification Officer, Environmental Services Program
Missouri Department of Natural Resources

MISSOURI DEPARTMENT OF NATURAL RESOURCES
DRINKING WATER LABORATORY
CERTIFIED PARAMETER LIST

This is to certify that

Teklab, Incorporated

located at

5445 Horseshoe Lake Road, Collinsville, IL 62234

has been approved to perform the indicated procedures on drinking water under the Missouri Public Drinking Water Regulations (10 CSR 60-5.020). Specific method numbers or references are included in parenthesis when appropriate.

INORGANIC

EPA 335.4

Total Cyanide

EPA 353.2

Nitrate, Nitrite, Total Nitrate and Nitrite

EPA 245.1

Mercury

EPA 200.7

Barium, Beryllium, Cadmium, Chromium, Copper, Nickel

EPA 200.8

Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Nickel, Selenium, Thallium

SM4500F-C

Fluoride

SM4500NO2-B

Nitrite

Teklab, Incorporated

Expiration Date: January 31, 2025

Missouri Certificate No.: 930

Original Certifying State: Illinois



STATE OF ILLINOIS
ENVIRONMENTAL PROTECTION AGENCY
NELAP - RECOGNIZED
ENVIRONMENTAL LABORATORY ACCREDITATION



is hereby granted to

Teklab, Incorporated
5445 Horseshoe Lake Rd.
Collinsville, IL 62234

NELAP ACCREDITED

Accreditation Number #100226



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose
Supervisor
Environmental Laboratory Accreditation Program

Certificate No: 1002262023-17

Expiration Date: 1/31/2024

Issued On: 4/11/2023

State of Illinois Environmental Protection Agency

Awards the Certificate of Approval to:

Teklab, Incorporated
5445 Horseshoe Lake Rd.
Collinsville, IL 62234

The Illinois Environmental Laboratory Accreditation Program encourages all clients and data users to verify the most current scope of accreditation for Teklab, Incorporated.

Certificate No.: 1002262023-17

Primary AB

Field of Testing /Matrix: CWA (Non Potable Water)

Method EPA 120.1

Conductivity IL

Method EPA 1631E

Mercury IL

Method EPA 1664A Rev: 1

Oil & Grease IL

Method EPA 180.1 Rev: 2

Turbidity IL

Method EPA 200.7 Rev: 4.4

Aluminum IL

Antimony IL

Arsenic IL

Barium IL

Beryllium IL

Boron IL

Cadmium IL

Calcium IL

Chromium IL

Cobalt IL

Copper IL

Iron IL

Lead IL

Magnesium IL

Manganese IL

Molybdenum IL

Nickel IL

Phosphorus IL

Potassium IL

Selenium IL

Silver IL

Sodium IL

Thallium IL

Tin IL

Titanium IL

Vanadium IL

Zinc IL

Method EPA 200.8 Rev: 5.4

Aluminum IL

Field of Testing /Matrix: CWA (Non Potable Water)

| | |
|---|----|
| Antimony | IL |
| Arsenic | IL |
| Barium | IL |
| Beryllium | IL |
| Cadmium | IL |
| Chromium | IL |
| Cobalt | IL |
| Copper | IL |
| Lead | IL |
| Manganese | IL |
| Molybdenum | IL |
| Nickel | IL |
| Selenium | IL |
| Silver | IL |
| Thallium | IL |
| Vanadium | IL |
| Zinc | IL |
| Method EPA 245.1 Rev: 3 | |
| Mercury | IL |
| Method EPA 335.4 Rev: 1 | |
| Cyanide | IL |
| Method EPA 350.1 Rev: 2 | |
| Ammonia as N | IL |
| Method EPA 351.2 Rev: 2 | |
| Total Kjeldahl Nitrogen (TKN) | IL |
| Method EPA 353.2 Rev: 2 | |
| Nitrate | IL |
| Nitrate-nitrite | IL |
| Nitrite as N | IL |
| Method EPA 365.4 | |
| Phosphorus | IL |
| Method EPA 375.2 Rev: 2 | |
| Sulfate | IL |
| Method EPA 410.4 Rev: 2 | |
| Chemical oxygen demand | IL |
| Method EPA 420.1 | |
| Total phenolics | IL |
| Method EPA 420.4 Rev: 1 | |
| Total phenolics | IL |
| Method EPA 608.3 GC-ECD | |
| 4,4'-DDD | IL |
| 4,4'-DDE | IL |
| 4,4'-DDT | IL |
| Aldrin | IL |
| alpha-BHC (alpha-Hexachlorocyclohexane) | IL |
| Aroclor-1016 (PCB-1016) | IL |
| Aroclor-1221 (PCB-1221) | IL |
| Aroclor-1232 (PCB-1232) | IL |
| Aroclor-1242 (PCB-1242) | IL |

Field of Testing /Matrix: CWA (Non Potable Water)

| | |
|--|----|
| Aroclor-1248 (PCB-1248) | IL |
| Aroclor-1254 (PCB-1254) | IL |
| Aroclor-1260 (PCB-1260) | IL |
| beta-BHC (beta-Hexachlorocyclohexane) | IL |
| Chlordane (tech.)(N.O.S.) | IL |
| delta-BHC | IL |
| Dieldrin | IL |
| Endosulfan I | IL |
| Endosulfan II | IL |
| Endosulfan sulfate | IL |
| Endrin | IL |
| Endrin aldehyde | IL |
| gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) | IL |
| Heptachlor | IL |
| Heptachlor epoxide | IL |
| Methoxychlor | IL |
| Toxaphene (Chlorinated camphene) | IL |

Method EPA 615

| | |
|-------------------|----|
| 2,4,5-T | IL |
| 2,4-D | IL |
| Dicamba | IL |
| Silvex (2,4,5-TP) | IL |

Method EPA 624.1

| | |
|--|----|
| 1,1,1-Trichloroethane | IL |
| 1,1,2,2-Tetrachloroethane | IL |
| 1,1,2-Trichloroethane | IL |
| 1,1-Dichloroethane | IL |
| 1,1-Dichloroethylene | IL |
| 1,2-Dichlorobenzene (o-Dichlorobenzene) | IL |
| 1,2-Dichloroethane (Ethylene dichloride) | IL |
| 1,2-Dichloropropane | IL |
| 1,3-Dichlorobenzene | IL |
| 1,4-Dichlorobenzene | IL |
| 2-Chloroethyl vinyl ether | IL |
| Acetonitrile | IL |
| Acrolein (Propenal) | IL |
| Acrylonitrile | IL |
| Benzene | IL |
| Bromodichloromethane | IL |
| Bromoform | IL |
| Carbon tetrachloride | IL |
| Chlorobenzene | IL |
| Chlorodibromomethane | IL |
| Chloroethane (Ethyl chloride) | IL |
| Chloroform | IL |
| cis-1,3-Dichloropropene | IL |
| Ethylbenzene | IL |
| Methyl bromide (Bromomethane) | IL |
| Methyl chloride (Chloromethane) | IL |
| Methyl tert-butyl ether (MTBE) | IL |
| Methylene chloride (Dichloromethane) | IL |

Field of Testing /Matrix: CWA (Non Potable Water)

| | |
|---|----|
| Tetrachloroethylene (Perchloroethylene) | IL |
| Toluene | IL |
| trans-1,2-Dichloroethylene | IL |
| trans-1,3-Dichloropropylene | IL |
| Trichloroethene (Trichloroethylene) | IL |
| Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | IL |
| Vinyl chloride | IL |
| Xylene (total) | IL |

Method EPA 625.1

| | |
|--|----|
| 1,2,4-Trichlorobenzene | IL |
| 2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether | IL |
| 2,4,6-Trichlorophenol | IL |
| 2,4-Dichlorophenol | IL |
| 2,4-Dimethylphenol | IL |
| 2,4-Dinitrophenol | IL |
| 2,4-Dinitrotoluene (2,4-DNT) | IL |
| 2,6-Dinitrotoluene (2,6-DNT) | IL |
| 2-Chloronaphthalene | IL |
| 2-Chlorophenol | IL |
| 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | IL |
| 2-Nitrophenol | IL |
| 3,3'-Dichlorobenzidine | IL |
| 4-Bromophenyl phenyl ether | IL |
| 4-Chloro-3-methylphenol | IL |
| 4-Chlorophenyl phenylether | IL |
| 4-Nitrophenol | IL |
| Acenaphthene | IL |
| Acenaphthylene | IL |
| Anthracene | IL |
| Benzidine | IL |
| Benzo(a)anthracene | IL |
| Benzo(a)pyrene | IL |
| Benzo(b)fluoranthene | IL |
| Benzo(g,h,i)perylene | IL |
| Benzo(k)fluoranthene | IL |
| bis(2-Chloroethoxy)methane | IL |
| bis(2-Chloroethyl) ether | IL |
| bis(2-Ethylhexyl) phthalate (DEHP) | IL |
| Butyl benzyl phthalate | IL |
| Carbazole | IL |
| Chrysene | IL |
| Dibenz(a,h) anthracene | IL |
| Diethyl phthalate | IL |
| Dimethyl phthalate | IL |
| Di-n-butyl phthalate | IL |
| Di-n-octyl phthalate | IL |
| Fluoranthene | IL |
| Fluorene | IL |
| Hexachlorobenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachlorocyclopentadiene | IL |
| Hexachloroethane | IL |

Field of Testing /Matrix: CWA (Non Potable Water)

| | |
|---|----|
| Indeno(1,2,3-cd) pyrene | IL |
| Isophorone | IL |
| Naphthalene | IL |
| Nitrobenzene | IL |
| n-Nitrosodimethylamine | IL |
| n-Nitrosodi-n-propylamine | IL |
| n-Nitrosodiphenylamine | IL |
| Pentachlorophenol | IL |
| Phenanthrene | IL |
| Phenol | IL |
| Pyrene | IL |
| Pyridine | IL |
| Method OIA 1677-09 | |
| Available Cyanide | IL |
| Method SM 2120 B-2011 | |
| Color | IL |
| Method SM 2130 B-2011 | |
| Turbidity | IL |
| Method SM 2310 B-2011 | |
| Acidity, as CaCO ₃ | IL |
| Method SM 2320 B-2011 | |
| Alkalinity as CaCO ₃ | IL |
| Method SM 2340 B-1997 | |
| Hardness | IL |
| Method SM 2510 B-2011 | |
| Conductivity | IL |
| Method SM 2540 B-2011 | |
| Residue-total | IL |
| Method SM 2540 C-2011 | |
| Residue-filterable (TDS) | IL |
| Method SM 2540 D-2011 | |
| Residue-nonfilterable (TSS) | IL |
| Method SM 2540 E-2011 | |
| Residue-volatile | IL |
| Method SM 2540 F-2011 | |
| Residue-settleable | IL |
| Method SM 3500-Cr B-2011 | |
| Chromium VI | IL |
| Method SM 4500-Cl G-2011 | |
| Total residual chlorine | IL |
| Method SM 4500-Cl⁻ C-1997 | |
| Chloride | IL |
| Method SM 4500-Cl⁻ C-2011 | |
| Chloride | IL |
| Method SM 4500-Cl⁻ E-2000 | |
| Chloride | IL |
| Method SM 4500-Cl⁻ E-2011 | |

Field of Testing /Matrix: CWA (Non Potable Water)

| | |
|---|----|
| Chloride | IL |
| Method SM 4500-F⁻ C-2011 | |
| Fluoride | IL |
| Method SM 4500-H⁺ B-2011 | |
| pH | IL |
| Method SM 4500-NH₃ G-2011 | |
| Ammonia | IL |
| Method SM 4500-NO₂⁻ B-2011 | |
| Nitrite | IL |
| Method SM 4500-NO₃⁻ F-2000 | |
| Nitrate plus Nitrite as N | IL |
| Method SM 4500-O G-2001 | |
| Oxygen, dissolved | IL |
| Method SM 4500-P E-2011 | |
| Orthophosphate as P | IL |
| Method SM 4500-S₂⁻ D-2011 | |
| Sulfide | IL |
| Method SM 4500-SO₃⁻ B-2011 | |
| Sulfite-SO ₃ | IL |
| Method SM 5210 B-2011 | |
| Biochemical oxygen demand | IL |
| Carbonaceous BOD, CBOD | IL |
| Method SM 5220 D-2011 | |
| Chemical oxygen demand | IL |
| Method SM 5310 C-2011 | |
| Total organic carbon | IL |
| Method SM 5540 C-2011 | |
| Surfactants - MBAS | IL |

Field of Testing /Matrix: CWA (Solid & Hazardous Material)**Method EPA 160.4**

Residue-volatile IL

Method EPA 245.1 Rev: 3

Mercury IL

Method EPA 351.2 Rev: 2

Total Kjeldahl Nitrogen (TKN) IL

Method EPA 353.2 Rev: 2

Nitrate IL

Nitrate-nitrite IL

Nitrite as N IL

Method EPA 365.4

Phosphorus IL

Method EPA 420.1

Total phenolics IL

Method EPA 608.3 GC-ECD

4,4'-DDD IL

4,4'-DDE IL

4,4'-DDT IL

Aldrin IL

alpha-BHC (alpha-Hexachlorocyclohexane) IL

Aroclor-1016 (PCB-1016) IL

Aroclor-1221 (PCB-1221) IL

Aroclor-1232 (PCB-1232) IL

Aroclor-1242 (PCB-1242) IL

Aroclor-1248 (PCB-1248) IL

Aroclor-1254 (PCB-1254) IL

Aroclor-1260 (PCB-1260) IL

beta-BHC (beta-Hexachlorocyclohexane) IL

Chlordane (tech.)(N.O.S.) IL

delta-BHC IL

Dieldrin IL

Endosulfan I IL

Endosulfan II IL

Endosulfan sulfate IL

Endrin IL

Endrin aldehyde IL

gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) IL

Heptachlor IL

Heptachlor epoxide IL

Methoxychlor IL

Toxaphene (Chlorinated camphene) IL

Method EPA 624.1

1,1,1-Trichloroethane IL

1,1,2,2-Tetrachloroethane IL

1,1,2-Trichloroethane IL

1,1-Dichloroethane IL

1,1-Dichloroethylene IL

1,2-Dichlorobenzene (o-Dichlorobenzene) IL

1,2-Dichloroethane (Ethylene dichloride) IL

1,2-Dichloropropane IL

Field of Testing /Matrix: CWA (Solid & Hazardous Material)

| | |
|---|----|
| 1,3-Dichlorobenzene | IL |
| 1,4-Dichlorobenzene | IL |
| 2-Chloroethyl vinyl ether | IL |
| Acetonitrile | IL |
| Acrolein (Propenal) | IL |
| Acrylonitrile | IL |
| Benzene | IL |
| Bromodichloromethane | IL |
| Bromoform | IL |
| Carbon tetrachloride | IL |
| Chlorobenzene | IL |
| Chlorodibromomethane | IL |
| Chloroethane (Ethyl chloride) | IL |
| Chloroform | IL |
| cis-1,3-Dichloropropene | IL |
| Ethylbenzene | IL |
| Methyl bromide (Bromomethane) | IL |
| Methyl chloride (Chloromethane) | IL |
| Methyl tert-butyl ether (MTBE) | IL |
| Methylene chloride (Dichloromethane) | IL |
| Tetrachloroethylene (Perchloroethylene) | IL |
| Toluene | IL |
| trans-1,2-Dichloroethylene | IL |
| trans-1,3-Dichloropropylene | IL |
| Trichloroethene (Trichloroethylene) | IL |
| Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | IL |
| Vinyl chloride | IL |
| Xylene (total) | IL |

Method EPA 625.1

| | |
|--|----|
| 1,2,4-Trichlorobenzene | IL |
| 2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether | IL |
| 2,4,6-Trichlorophenol | IL |
| 2,4-Dichlorophenol | IL |
| 2,4-Dimethylphenol | IL |
| 2,4-Dinitrophenol | IL |
| 2,4-Dinitrotoluene (2,4-DNT) | IL |
| 2,6-Dinitrotoluene (2,6-DNT) | IL |
| 2-Chloronaphthalene | IL |
| 2-Chlorophenol | IL |
| 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | IL |
| 2-Nitrophenol | IL |
| 3,3'-Dichlorobenzidine | IL |
| 4-Bromophenyl phenyl ether | IL |
| 4-Chloro-3-methylphenol | IL |
| 4-Nitrophenol | IL |
| Acenaphthene | IL |
| Acenaphthylene | IL |
| Anthracene | IL |
| Benzidine | IL |
| Benzo(a)anthracene | IL |
| Benzo(a)pyrene | IL |
| Benzo(b)fluoranthene | IL |

Field of Testing /Matrix: CWA (Solid & Hazardous Material)

| | |
|---|----|
| Benzo(g,h,i)perylene | IL |
| Benzo(k)fluoranthene | IL |
| bis(2-Chloroethoxy)methane | IL |
| bis(2-Chloroethyl) ether | IL |
| bis(2-Ethylhexyl) phthalate (DEHP) | IL |
| Butyl benzyl phthalate | IL |
| Carbazole | IL |
| Chrysene | IL |
| Dibenz(a,h) anthracene | IL |
| Diethyl phthalate | IL |
| Dimethyl phthalate | IL |
| Di-n-butyl phthalate | IL |
| Di-n-octyl phthalate | IL |
| Fluoranthene | IL |
| Fluorene | IL |
| Hexachlorobenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachlorocyclopentadiene | IL |
| Hexachloroethane | IL |
| Indeno(1,2,3-cd) pyrene | IL |
| Isophorone | IL |
| Naphthalene | IL |
| Nitrobenzene | IL |
| n-Nitrosodimethylamine | IL |
| n-Nitrosodi-n-propylamine | IL |
| n-Nitrosodiphenylamine | IL |
| Pentachlorophenol | IL |
| Phenanthrene | IL |
| Phenol | IL |
| Pyrene | IL |
| Pyridine | IL |
| Method SM 2340 B-1997 | |
| Hardness | IL |
| Method SM 2540 C-1997 | |
| Residue-filterable (TDS) | IL |
| Method SM 2540 F-1997 | |
| Residue-settleable | IL |
| Method SM 4500-Cl⁻ C-1997 | |
| Chloride | IL |
| Method SM 4500-Cl⁻ C-2011 | |
| Chloride | IL |
| Method SM 4500-Cl⁻ E-2000 | |
| Chloride | IL |
| Method SM 4500-NO₂⁻ B-2011 | |
| Nitrite | IL |
| Method SM 4500-NO₃⁻ F-2000 | |
| Nitrate plus Nitrite as N | IL |
| Method SM 4500-P E-1999 | |
| Orthophosphate as P | IL |

Field of Testing /Matrix: CWA (Solid & Hazardous Material)

Method SM 4500-SO₃⁻ B-2000

Sulfite-SO₃

IL

Field of Testing /Matrix: RCRA (Non Potable Water)**Method EPA 1010A**

Ignitability IL

Method EPA 1020B

Ignitability IL

Method EPA 1311 Rev: 0

Toxicity Characteristic Leaching Procedure (TCLP) IL

Method EPA 1312 Rev: 0

Synthetic Precipitation Leaching Procedure (SPLP) IL

Method EPA 6010B Rev: 2

Aluminum IL

Antimony IL

Arsenic IL

Barium IL

Beryllium IL

Boron IL

Cadmium IL

Calcium IL

Chromium IL

Cobalt IL

Copper IL

Iron IL

Lead IL

Lithium IL

Magnesium IL

Manganese IL

Molybdenum IL

Nickel IL

Phosphorus IL

Potassium IL

Selenium IL

Silver IL

Sodium IL

Strontium IL

Thallium IL

Tin IL

Titanium IL

Vanadium IL

Zinc IL

Method EPA 6020A Rev: 1

Aluminum IL

Antimony IL

Arsenic IL

Barium IL

Beryllium IL

Boron IL

Cadmium IL

Calcium IL

Chromium IL

Cobalt IL

Copper IL

Field of Testing /Matrix: RCRA (Non Potable Water)

| | |
|------------|----|
| Iron | IL |
| Lead | IL |
| Magnesium | IL |
| Manganese | IL |
| Molybdenum | IL |
| Nickel | IL |
| Potassium | IL |
| Selenium | IL |
| Silver | IL |
| Sodium | IL |
| Thallium | IL |
| Vanadium | IL |
| Zinc | IL |

Method EPA 7196A Rev: 1

| | |
|-------------|----|
| Chromium VI | IL |
|-------------|----|

Method EPA 7470A Rev: 1

| | |
|---------|----|
| Mercury | IL |
|---------|----|

Method EPA 8015B Rev: 2

| | |
|---|----|
| Diesel range organics (DRO) | IL |
| Ethanol | IL |
| Ethylene glycol | IL |
| Isobutyl alcohol (2-Methyl-1-propanol) | IL |
| Isopropyl alcohol (2-Propanol, Isopropanol) | IL |
| Methanol | IL |
| n-Butyl alcohol (1-Butanol, n-Butanol) | IL |
| n-Propanol (1-Propanol) | IL |
| tert-Butyl alcohol | IL |

Method EPA 8081B

| | |
|--|----|
| 4,4'-DDD | IL |
| 4,4'-DDE | IL |
| 4,4'-DDT | IL |
| Alachlor | IL |
| Aldrin | IL |
| alpha-BHC (alpha-Hexachlorocyclohexane) | IL |
| alpha-Chlordane, cis-Chlordane | IL |
| beta-BHC (beta-Hexachlorocyclohexane) | IL |
| Chlordane (tech.)(N.O.S.) | IL |
| delta-BHC | IL |
| Dieldrin | IL |
| Endosulfan I | IL |
| Endosulfan II | IL |
| Endosulfan sulfate | IL |
| Endrin | IL |
| Endrin aldehyde | IL |
| Endrin ketone | IL |
| gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) | IL |
| gamma-Chlordane | IL |
| Heptachlor | IL |
| Heptachlor epoxide | IL |
| Methoxychlor | IL |
| Toxaphene (Chlorinated camphene) | IL |

Field of Testing /Matrix: RCRA (Non Potable Water)**Method EPA 8082 Rev: 0**

| | |
|-------------------------|----|
| Aroclor-1016 (PCB-1016) | IL |
| Aroclor-1221 (PCB-1221) | IL |
| Aroclor-1232 (PCB-1232) | IL |
| Aroclor-1242 (PCB-1242) | IL |
| Aroclor-1248 (PCB-1248) | IL |
| Aroclor-1254 (PCB-1254) | IL |
| Aroclor-1260 (PCB-1260) | IL |

Method EPA 8151A

| | |
|---|----|
| 2,4,5-T | IL |
| 2,4-D | IL |
| 2,4-DB | IL |
| 3,5-Dichlorobenzoic acid | IL |
| 4-Nitrophenol | IL |
| Acifluorfen | IL |
| Bentazon | IL |
| Chloramben | IL |
| Dalapon | IL |
| DCPA di acid degradate | IL |
| Dicamba | IL |
| Dichloroprop (Dichloroprop) | IL |
| Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP) | IL |
| MCPA | IL |
| MCPP | IL |
| Pentachlorophenol | IL |
| Picloram | IL |
| Silvex (2,4,5-TP) | IL |

Method EPA 8260B

| | |
|---|----|
| 1,1,1,2-Tetrachloroethane | IL |
| 1,1,1-Trichloroethane | IL |
| 1,1,2,2-Tetrachloroethane | IL |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | IL |
| 1,1,2-Trichloroethane | IL |
| 1,1-Dichloroethane | IL |
| 1,1-Dichloroethylene | IL |
| 1,1-Dichloropropene | IL |
| 1,2,3-Trichlorobenzene | IL |
| 1,2,3-Trichloropropane | IL |
| 1,2,4-Trichlorobenzene | IL |
| 1,2,4-Trimethylbenzene | IL |
| 1,2-Dibromo-3-chloropropane (DBCP) | IL |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | IL |
| 1,2-Dichlorobenzene (o-Dichlorobenzene) | IL |
| 1,2-Dichloroethane (Ethylene dichloride) | IL |
| 1,2-Dichloropropane | IL |
| 1,3,5-Trimethylbenzene | IL |
| 1,3-Dichlorobenzene | IL |
| 1,3-Dichloropropane | IL |
| 1,4-Dichlorobenzene | IL |
| 1-Chlorobutane | IL |
| 2,2-Dichloropropane | IL |

Field of Testing /Matrix: RCRA (Non Potable Water)

| | |
|--|----|
| 2-Butanone (Methyl ethyl ketone, MEK) | IL |
| 2-Chloroethyl vinyl ether | IL |
| 2-Chlorotoluene | IL |
| 2-Hexanone | IL |
| 2-Nitropropane | IL |
| 4-Chlorotoluene | IL |
| 4-Isopropyltoluene (p-Cymene,p-Isopropyltoluene) | IL |
| 4-Methyl-2-pentanone (MIBK) | IL |
| Acetone | IL |
| Acetonitrile | IL |
| Acrolein (Propenal) | IL |
| Acrylonitrile | IL |
| Allyl chloride (3-Chloropropene) | IL |
| Benzene | IL |
| Bromobenzene | IL |
| Bromochloromethane | IL |
| Bromodichloromethane | IL |
| Bromoform | IL |
| Carbon disulfide | IL |
| Carbon tetrachloride | IL |
| Chlorobenzene | IL |
| Chlorodibromomethane | IL |
| Chloroethane (Ethyl chloride) | IL |
| Chloroform | IL |
| Chloroprene (2-Chloro-1,3-butadiene) | IL |
| cis-1,2-Dichloroethylene | IL |
| cis-1,3-Dichloropropene | IL |
| cis-1,4-Dichloro-2-butene | IL |
| Dibromomethane (Methylene bromide) | IL |
| Dichlorodifluoromethane (Freon-12) | IL |
| Diethyl ether | IL |
| Di-isopropylether (DIPE) (Isopropyl Ether) | IL |
| Ethyl acetate | IL |
| Ethyl methacrylate | IL |
| Ethylbenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachloroethane | IL |
| Iodomethane (Methyl iodide) | IL |
| Isopropylbenzene | IL |
| m+p-xylene | IL |
| Methacrylonitrile | IL |
| Methyl acrylate | IL |
| Methyl bromide (Bromomethane) | IL |
| Methyl chloride (Chloromethane) | IL |
| Methyl methacrylate | IL |
| Methyl tert-butyl ether (MTBE) | IL |
| Methylene chloride (Dichloromethane) | IL |
| m-Xylene | IL |
| Naphthalene | IL |
| n-Butylbenzene | IL |
| Nitrobenzene | IL |
| n-Propylbenzene | IL |

Field of Testing /Matrix: RCRA (Non Potable Water)

| | |
|---|----|
| o-Xylene | IL |
| Pentachloroethane | IL |
| Propionitrile (Ethyl cyanide) | IL |
| p-Xylene | IL |
| sec-Butylbenzene | IL |
| Styrene | IL |
| tert-Butyl alcohol | IL |
| tert-Butylbenzene | IL |
| Tetrachloroethylene (Perchloroethylene) | IL |
| Tetrahydrofuran (THF) | IL |
| Toluene | IL |
| trans-1,2-Dichloroethylene | IL |
| trans-1,3-Dichloropropylene | IL |
| trans-1,4-Dichloro-2-butene | IL |
| Trichloroethene (Trichloroethylene) | IL |
| Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | IL |
| Vinyl acetate | IL |
| Vinyl chloride | IL |
| Xylene (total) | IL |

Method EPA 8270C Rev: 3

| | |
|--|----|
| 1,2,4-Trichlorobenzene | IL |
| 1,2-Dichlorobenzene (o-Dichlorobenzene) | IL |
| 1,3-Dichlorobenzene | IL |
| 1,4-Dichlorobenzene | IL |
| 1,4-Dioxane (1,4- Diethyleneoxide) | IL |
| 1,4-Naphthoquinone | IL |
| 1-Naphthylamine | IL |
| 2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether | IL |
| 2,4,5-Trichlorophenol | IL |
| 2,4,6-Trichlorophenol | IL |
| 2,4-Dichlorophenol | IL |
| 2,4-Dimethylphenol | IL |
| 2,4-Dinitrophenol | IL |
| 2,4-Dinitrotoluene (2,4-DNT) | IL |
| 2,6-Dinitrotoluene (2,6-DNT) | IL |
| 2-Chloronaphthalene | IL |
| 2-Chlorophenol | IL |
| 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | IL |
| 2-Methylaniline (o-Toluidine) | IL |
| 2-Methylnaphthalene | IL |
| 2-Methylphenol (o-Cresol) | IL |
| 2-Nitroaniline | IL |
| 2-Nitrophenol | IL |
| 3,3'-Dichlorobenzidine | IL |
| 3,3'-Dimethylbenzidine | IL |
| 3-Methylcholanthrene | IL |
| 3-Methylphenol (m-Cresol) | IL |
| 3-Nitroaniline | IL |
| 4-Aminobiphenyl | IL |
| 4-Bromophenyl phenyl ether | IL |
| 4-Chloro-3-methylphenol | IL |
| 4-Chloroaniline | IL |

Field of Testing /Matrix: RCRA (Non Potable Water)

| | |
|------------------------------------|----|
| 4-Chlorophenyl phenylether | IL |
| 4-Dimethyl aminoazobenzene | IL |
| 4-Methylphenol (p-Cresol) | IL |
| 4-Nitroaniline | IL |
| 4-Nitrophenol | IL |
| 5-Nitro-o-toluidine | IL |
| 7,12-Dimethylbenz(a) anthracene | IL |
| Acenaphthene | IL |
| Acenaphthylene | IL |
| Acetophenone | IL |
| Aniline | IL |
| Anthracene | IL |
| Benzidine | IL |
| Benzo(a)anthracene | IL |
| Benzo(a)pyrene | IL |
| Benzo(b)fluoranthene | IL |
| Benzo(g,h,i)perylene | IL |
| Benzo(k)fluoranthene | IL |
| Benzoic acid | IL |
| Benzyl alcohol | IL |
| bis(2-Chloroethoxy)methane | IL |
| bis(2-Chloroethyl) ether | IL |
| bis(2-Ethylhexyl) phthalate (DEHP) | IL |
| Butyl benzyl phthalate | IL |
| Carbazole | IL |
| Chlorobenzilate | IL |
| Chrysene | IL |
| Diallate | IL |
| Dibenz(a,h) anthracene | IL |
| Dibenzofuran | IL |
| Diethyl phthalate | IL |
| Dimethoate | IL |
| Dimethyl phthalate | IL |
| Di-n-butyl phthalate | IL |
| Di-n-octyl phthalate | IL |
| Diphenylamine | IL |
| Ethyl methanesulfonate | IL |
| Famphur | IL |
| Fluoranthene | IL |
| Fluorene | IL |
| Hexachlorobenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachlorocyclopentadiene | IL |
| Hexachloroethane | IL |
| Hexachloropropene | IL |
| Indeno(1,2,3-cd) pyrene | IL |
| Isodrin | IL |
| Isophorone | IL |
| Isosafrole | IL |
| Methyl methanesulfonate | IL |
| Naphthalene | IL |
| Nitrobenzene | IL |

Field of Testing /Matrix: RCRA (Non Potable Water)

| | |
|---------------------------------|----|
| n-Nitrosodiethylamine | IL |
| n-Nitrosodimethylamine | IL |
| n-Nitroso-di-n-butylamine | IL |
| n-Nitrosodi-n-propylamine | IL |
| n-Nitrosodiphenylamine | IL |
| n-Nitrosomethylethylamine | IL |
| n-Nitrosopiperidine | IL |
| n-Nitrosopyrrolidine | IL |
| o,o,o-Triethyl phosphorothioate | IL |
| Parathion | IL |
| Pentachlorobenzene | IL |
| Pentachloronitrobenzene | IL |
| Pentachlorophenol | IL |
| Phenanthrene | IL |
| Phenol | IL |
| Pronamide (Kerb) | IL |
| Pyrene | IL |
| Pyridine | IL |
| Safrole | IL |

Method EPA 8270C Mod LVI

| | |
|---|----|
| Acetochlor | IL |
| Alachlor | IL |
| Atrazine | IL |
| Butylate | IL |
| Cyanazine | IL |
| EPTC (Eptam, s-ethyl-dipropyl thio carbamate) | IL |
| Metolachlor | IL |
| Metribuzin | IL |
| Pendimethalin (Penoxalin) | IL |
| Simazine | IL |
| Trifluralin (Treflan) | IL |

Method EPA 9012A Rev: 1

| | |
|---------|----|
| Cyanide | IL |
|---------|----|

Method EPA 9014 Rev: 0

| | |
|---------|----|
| Cyanide | IL |
|---------|----|

Method EPA 9020B Rev: 2

| | |
|-----------------------------|----|
| Total organic halides (TOX) | IL |
|-----------------------------|----|

Method EPA 9023 Rev: 0

| | |
|------------------------------------|----|
| Extractable organics halides (EOX) | IL |
|------------------------------------|----|

Method EPA 9036 Rev: 0

| | |
|---------|----|
| Sulfate | IL |
|---------|----|

Method EPA 9040B Rev: 2

| | |
|----|----|
| pH | IL |
|----|----|

Method EPA 9050A Rev: 1

| | |
|--------------|----|
| Conductivity | IL |
|--------------|----|

Method EPA 9060A

| | |
|----------------------|----|
| Total organic carbon | IL |
|----------------------|----|

Method EPA 9065 Rev: 0

| | |
|-----------------|----|
| Total phenolics | IL |
|-----------------|----|

Field of Testing /Matrix: *RCRA (Non Potable Water)***Method EPA 9066 Rev: 0**

Total phenolics

IL

Method EPA 9095A

Paint Filter Test

IL

Method EPA 9214 Rev: 0

Fluoride

IL

Method EPA 9251 Rev: 0

Chloride

IL

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)**Method EPA 1010A**

| | |
|--------------|----|
| Ignitability | IL |
|--------------|----|

Method EPA 1020B

| | |
|--------------|----|
| Ignitability | IL |
|--------------|----|

Method EPA 1311 Rev: 0

| | |
|---|----|
| Toxicity Characteristic Leaching Procedure (TCLP) | IL |
|---|----|

Method EPA 1312 Rev: 0

| | |
|---|----|
| Synthetic Precipitation Leaching Procedure (SPLP) | IL |
|---|----|

Method EPA 6010B Rev: 2

| | |
|----------|----|
| Aluminum | IL |
|----------|----|

| | |
|----------|----|
| Antimony | IL |
|----------|----|

| | |
|---------|----|
| Arsenic | IL |
|---------|----|

| | |
|--------|----|
| Barium | IL |
|--------|----|

| | |
|-----------|----|
| Beryllium | IL |
|-----------|----|

| | |
|-------|----|
| Boron | IL |
|-------|----|

| | |
|---------|----|
| Cadmium | IL |
|---------|----|

| | |
|---------|----|
| Calcium | IL |
|---------|----|

| | |
|----------|----|
| Chromium | IL |
|----------|----|

| | |
|--------|----|
| Cobalt | IL |
|--------|----|

| | |
|--------|----|
| Copper | IL |
|--------|----|

| | |
|------|----|
| Iron | IL |
|------|----|

| | |
|------|----|
| Lead | IL |
|------|----|

| | |
|---------|----|
| Lithium | IL |
|---------|----|

| | |
|-----------|----|
| Magnesium | IL |
|-----------|----|

| | |
|-----------|----|
| Manganese | IL |
|-----------|----|

| | |
|------------|----|
| Molybdenum | IL |
|------------|----|

| | |
|--------|----|
| Nickel | IL |
|--------|----|

| | |
|------------|----|
| Phosphorus | IL |
|------------|----|

| | |
|-----------|----|
| Potassium | IL |
|-----------|----|

| | |
|----------|----|
| Selenium | IL |
|----------|----|

| | |
|--------|----|
| Silver | IL |
|--------|----|

| | |
|--------|----|
| Sodium | IL |
|--------|----|

| | |
|-----------|----|
| Strontium | IL |
|-----------|----|

| | |
|----------|----|
| Thallium | IL |
|----------|----|

| | |
|-----|----|
| Tin | IL |
|-----|----|

| | |
|----------|----|
| Titanium | IL |
|----------|----|

| | |
|----------|----|
| Vanadium | IL |
|----------|----|

| | |
|------|----|
| Zinc | IL |
|------|----|

Method EPA 6020A Rev: 1

| | |
|----------|----|
| Aluminum | IL |
|----------|----|

| | |
|----------|----|
| Antimony | IL |
|----------|----|

| | |
|---------|----|
| Arsenic | IL |
|---------|----|

| | |
|--------|----|
| Barium | IL |
|--------|----|

| | |
|-----------|----|
| Beryllium | IL |
|-----------|----|

| | |
|-------|----|
| Boron | IL |
|-------|----|

| | |
|---------|----|
| Cadmium | IL |
|---------|----|

| | |
|----------|----|
| Chromium | IL |
|----------|----|

| | |
|--------|----|
| Cobalt | IL |
|--------|----|

| | |
|--------|----|
| Copper | IL |
|--------|----|

| | |
|------|----|
| Iron | IL |
|------|----|

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|------------|----|
| Lead | IL |
| Magnesium | IL |
| Manganese | IL |
| Molybdenum | IL |
| Nickel | IL |
| Potassium | IL |
| Selenium | IL |
| Silver | IL |
| Sodium | IL |
| Thallium | IL |
| Vanadium | IL |
| Zinc | IL |

Method EPA 7196A Rev: 1

| | |
|-------------|----|
| Chromium VI | IL |
|-------------|----|

Method EPA 7471B

| | |
|---------|----|
| Mercury | IL |
|---------|----|

Method EPA 8015B Rev: 2

| | |
|---|----|
| Diesel range organics (DRO) | IL |
| Ethanol | IL |
| Ethylene glycol | IL |
| Isobutyl alcohol (2-Methyl-1-propanol) | IL |
| Isopropyl alcohol (2-Propanol, Isopropanol) | IL |
| Methanol | IL |
| n-Butyl alcohol (1-Butanol, n-Butanol) | IL |
| n-Propanol (1-Propanol) | IL |
| tert-Butyl alcohol | IL |

Method EPA 8081B

| | |
|--|----|
| 4,4'-DDD | IL |
| 4,4'-DDE | IL |
| 4,4'-DDT | IL |
| Alachlor | IL |
| Aldrin | IL |
| alpha-BHC (alpha-Hexachlorocyclohexane) | IL |
| alpha-Chlordane, cis-Chlordane | IL |
| beta-BHC (beta-Hexachlorocyclohexane) | IL |
| Chlordane (tech.)(N.O.S.) | IL |
| delta-BHC | IL |
| Dieldrin | IL |
| Endosulfan I | IL |
| Endosulfan II | IL |
| Endosulfan sulfate | IL |
| Endrin | IL |
| Endrin aldehyde | IL |
| Endrin ketone | IL |
| gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) | IL |
| gamma-Chlordane | IL |
| Heptachlor | IL |
| Heptachlor epoxide | IL |
| Methoxychlor | IL |
| Toxaphene (Chlorinated camphene) | IL |

Method EPA 8082 Rev: 0

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|-------------------------|----|
| Aroclor-1016 (PCB-1016) | IL |
| Aroclor-1221 (PCB-1221) | IL |
| Aroclor-1232 (PCB-1232) | IL |
| Aroclor-1242 (PCB-1242) | IL |
| Aroclor-1248 (PCB-1248) | IL |
| Aroclor-1254 (PCB-1254) | IL |
| Aroclor-1260 (PCB-1260) | IL |

Method EPA 8151A

| | |
|---|----|
| 2,4,5-T | IL |
| 2,4-D | IL |
| 2,4-DB | IL |
| 3,5-Dichlorobenzoic acid | IL |
| 4-Nitrophenol | IL |
| Acifluorfen | IL |
| Bentazon | IL |
| Chloramben | IL |
| Dalapon | IL |
| DCPA di acid degradate | IL |
| Dicamba | IL |
| Dichloroprop (Dichloroprop) | IL |
| Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP) | IL |
| MCPA | IL |
| MCPP | IL |
| Pentachlorophenol | IL |
| Picloram | IL |
| Silvex (2,4,5-TP) | IL |

Method EPA 8260B

| | |
|---|----|
| 1,1,1,2-Tetrachloroethane | IL |
| 1,1,1-Trichloroethane | IL |
| 1,1,2,2-Tetrachloroethane | IL |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | IL |
| 1,1,2-Trichloroethane | IL |
| 1,1-Dichloroethane | IL |
| 1,1-Dichloroethylene | IL |
| 1,1-Dichloropropene | IL |
| 1,2,3-Trichlorobenzene | IL |
| 1,2,3-Trichloropropane | IL |
| 1,2,4-Trichlorobenzene | IL |
| 1,2,4-Trimethylbenzene | IL |
| 1,2-Dibromo-3-chloropropane (DBCP) | IL |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | IL |
| 1,2-Dichlorobenzene (o-Dichlorobenzene) | IL |
| 1,2-Dichloroethane (Ethylene dichloride) | IL |
| 1,2-Dichloropropane | IL |
| 1,3,5-Trimethylbenzene | IL |
| 1,3-Dichlorobenzene | IL |
| 1,3-Dichloropropane | IL |
| 1,4-Dichlorobenzene | IL |
| 1-Chlorobutane | IL |
| 2,2-Dichloropropane | IL |
| 2-Butanone (Methyl ethyl ketone, MEK) | IL |

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|--|----|
| 2-Chloroethyl vinyl ether | IL |
| 2-Chlorotoluene | IL |
| 2-Hexanone | IL |
| 2-Nitropropane | IL |
| 4-Chlorotoluene | IL |
| 4-Isopropyltoluene (p-Cymene,p-Isopropyltoluene) | IL |
| 4-Methyl-2-pentanone (MIBK) | IL |
| Acetone | IL |
| Acetonitrile | IL |
| Acrolein (Propenal) | IL |
| Allyl chloride (3-Chloropropene) | IL |
| Benzene | IL |
| Bromobenzene | IL |
| Bromochloromethane | IL |
| Bromodichloromethane | IL |
| Bromoform | IL |
| Carbon disulfide | IL |
| Carbon tetrachloride | IL |
| Chlorobenzene | IL |
| Chlorodibromomethane | IL |
| Chloroethane (Ethyl chloride) | IL |
| Chloroform | IL |
| Chloroprene (2-Chloro-1,3-butadiene) | IL |
| cis-1,2-Dichloroethylene | IL |
| cis-1,3-Dichloropropene | IL |
| cis-1,4-Dichloro-2-butene | IL |
| Dibromomethane (Methylene bromide) | IL |
| Dichlorodifluoromethane (Freon-12) | IL |
| Diethyl ether | IL |
| Di-isopropylether (DIPE) (Isopropyl Ether) | IL |
| Ethyl acetate | IL |
| Ethyl methacrylate | IL |
| Ethylbenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachloroethane | IL |
| Iodomethane (Methyl iodide) | IL |
| Isopropylbenzene | IL |
| m+p-xylene | IL |
| Methacrylonitrile | IL |
| Methyl acrylate | IL |
| Methyl bromide (Bromomethane) | IL |
| Methyl chloride (Chloromethane) | IL |
| Methyl methacrylate | IL |
| Methyl tert-butyl ether (MTBE) | IL |
| Methylene chloride (Dichloromethane) | IL |
| m-Xylene | IL |
| Naphthalene | IL |
| n-Butylbenzene | IL |
| Nitrobenzene | IL |
| n-Propylbenzene | IL |
| o-Xylene | IL |
| Pentachloroethane | IL |

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|---|----|
| Propionitrile (Ethyl cyanide) | IL |
| p-Xylene | IL |
| sec-Butylbenzene | IL |
| Styrene | IL |
| tert-Butyl alcohol | IL |
| tert-Butylbenzene | IL |
| Tetrachloroethylene (Perchloroethylene) | IL |
| Tetrahydrofuran (THF) | IL |
| Toluene | IL |
| trans-1,2-Dichloroethylene | IL |
| trans-1,3-Dichloropropylene | IL |
| trans-1,4-Dichloro-2-butene | IL |
| Trichloroethene (Trichloroethylene) | IL |
| Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | IL |
| Vinyl acetate | IL |
| Vinyl chloride | IL |
| Xylene (total) | IL |

Method EPA 8270C Rev: 3

| | |
|--|----|
| 1,2,4-Trichlorobenzene | IL |
| 1,2-Dichlorobenzene (o-Dichlorobenzene) | IL |
| 1,3-Dichlorobenzene | IL |
| 1,4-Dichlorobenzene | IL |
| 1,4-Dioxane (1,4- Diethyleneoxide) | IL |
| 2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether | IL |
| 2,4,5-Trichlorophenol | IL |
| 2,4,6-Trichlorophenol | IL |
| 2,4-Dichlorophenol | IL |
| 2,4-Dimethylphenol | IL |
| 2,4-Dinitrophenol | IL |
| 2,4-Dinitrotoluene (2,4-DNT) | IL |
| 2,6-Dinitrotoluene (2,6-DNT) | IL |
| 2-Chloronaphthalene | IL |
| 2-Chlorophenol | IL |
| 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | IL |
| 2-Methylaniline (o-Toluidine) | IL |
| 2-Methylnaphthalene | IL |
| 2-Methylphenol (o-Cresol) | IL |
| 2-Nitroaniline | IL |
| 2-Nitrophenol | IL |
| 3,3'-Dichlorobenzidine | IL |
| 3-Methylphenol (m-Cresol) | IL |
| 3-Nitroaniline | IL |
| 4-Bromophenyl phenyl ether | IL |
| 4-Chloro-3-methylphenol | IL |
| 4-Chloroaniline | IL |
| 4-Chlorophenyl phenylether | IL |
| 4-Methylphenol (p-Cresol) | IL |
| 4-Nitroaniline | IL |
| 4-Nitrophenol | IL |
| Acenaphthene | IL |
| Acenaphthylene | IL |
| Aniline | IL |

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|------------------------------------|----|
| Anthracene | IL |
| Benzo(a)anthracene | IL |
| Benzo(a)pyrene | IL |
| Benzo(b)fluoranthene | IL |
| Benzo(g,h,i)perylene | IL |
| Benzo(k)fluoranthene | IL |
| Benzoic acid | IL |
| Benzyl alcohol | IL |
| bis(2-Chloroethoxy)methane | IL |
| bis(2-Chloroethyl) ether | IL |
| bis(2-Ethylhexyl) phthalate (DEHP) | IL |
| Butyl benzyl phthalate | IL |
| Carbazole | IL |
| Chrysene | IL |
| Dibenz(a,h) anthracene | IL |
| Dibenzofuran | IL |
| Diethyl phthalate | IL |
| Dimethyl phthalate | IL |
| Di-n-butyl phthalate | IL |
| Di-n-octyl phthalate | IL |
| Fluoranthene | IL |
| Fluorene | IL |
| Hexachlorobenzene | IL |
| Hexachlorobutadiene | IL |
| Hexachlorocyclopentadiene | IL |
| Hexachloroethane | IL |
| Indeno(1,2,3-cd) pyrene | IL |
| Isophorone | IL |
| Naphthalene | IL |
| Nitrobenzene | IL |
| n-Nitrosodiethylamine | IL |
| n-Nitrosodimethylamine | IL |
| n-Nitrosodi-n-propylamine | IL |
| n-Nitrosodiphenylamine | IL |
| n-Nitrosomethylethylamine | IL |
| Pentachlorobenzene | IL |
| Pentachlorophenol | IL |
| Phenanthrene | IL |
| Phenol | IL |
| Pyrene | IL |
| Pyridine | IL |

Method EPA 8270C Mod LVI

| | |
|---|----|
| Acetochlor | IL |
| Alachlor | IL |
| Atrazine | IL |
| Butylate | IL |
| Cyanazine | IL |
| EPTC (Eptam, s-ethyl-dipropyl thio carbamate) | IL |
| Metolachlor | IL |
| Metribuzin | IL |
| Pendimethalin (Penoxalin) | IL |
| Simazine | IL |

Field of Testing /Matrix: RCRA (Solid & Hazardous Material)

| | |
|------------------------------------|----|
| Trifluralin (Treflan) | IL |
| Method EPA 9012A Rev: 1 | |
| Cyanide | IL |
| Method EPA 9014 Rev: 0 | |
| Cyanide | IL |
| Method EPA 9020B Rev: 2 | |
| Total organic halides (TOX) | IL |
| Method EPA 9023 Rev: 0 | |
| Extractable organics halides (EOX) | IL |
| Method EPA 9034 Rev: 0 | |
| Sulfide | IL |
| Method EPA 9036 Rev: 0 | |
| Sulfate | IL |
| Method EPA 9045C Rev: 3 | |
| pH | IL |
| Method EPA 9060A | |
| Total organic carbon | IL |
| Method EPA 9065 Rev: 0 | |
| Total phenolics | IL |
| Method EPA 9214 Rev: 0 | |
| Fluoride | IL |

Field of Testing /Matrix: SDWA (Potable Water)**Method EPA 180.1 Rev: 2**

| | |
|-----------|----|
| Turbidity | IL |
|-----------|----|

Method EPA 200.7 Rev: 4.4

| | |
|------------|----|
| Aluminum | IL |
| Barium | IL |
| Beryllium | IL |
| Boron | IL |
| Cadmium | IL |
| Calcium | IL |
| Chromium | IL |
| Copper | IL |
| Iron | IL |
| Magnesium | IL |
| Manganese | IL |
| Molybdenum | IL |
| Nickel | IL |
| Potassium | IL |
| Silver | IL |
| Sodium | IL |
| Vanadium | IL |
| Zinc | IL |

Method EPA 200.8 Rev: 5.4

| | |
|------------|----|
| Antimony | IL |
| Arsenic | IL |
| Barium | IL |
| Beryllium | IL |
| Cadmium | IL |
| Chromium | IL |
| Copper | IL |
| Lead | IL |
| Manganese | IL |
| Molybdenum | IL |
| Nickel | IL |
| Selenium | IL |
| Silver | IL |
| Thallium | IL |
| Zinc | IL |

Method EPA 245.1 Rev: 3

| | |
|---------|----|
| Mercury | IL |
|---------|----|

Method EPA 335.4 Rev: 1

| | |
|---------|----|
| Cyanide | IL |
|---------|----|

Method EPA 353.2 Rev: 2

| | |
|-----------------|----|
| Nitrate | IL |
| Nitrate-nitrite | IL |

Method SM 2130 B Rev: 20th ED

| | |
|-----------|----|
| Turbidity | IL |
|-----------|----|

Method SM 2320 B Rev: 23rd ED

| | |
|---------------------------------|----|
| Alkalinity as CaCO ₃ | IL |
|---------------------------------|----|

Method SM 2340 B Rev: 23rd ED

| | |
|----------|----|
| Hardness | IL |
|----------|----|

Field of Testing /Matrix: SDWA (Potable Water)**Method SM 2510 B Rev: 21st ED**

Conductivity

IL

Method SM 2540 C Rev: 23rd ED

Total dissolved solids

IL

Method SM 4500-Cl G Rev: 20th ED

Total chlorine

IL

Method SM 4500-F⁻ C Rev: 23rd ED

Fluoride

IL

Method SM 4500-H⁺ B Rev: 21st ED

pH

IL

Method SM 4500-NO₂⁻ B Rev: 23rd ED

Nitrite

IL

Method SM 4500-P E Rev: 23rd ED

Orthophosphate as P

IL

Method SM 4500-SiO₂ D Rev: 23rd EDSilica as SiO₂

IL

Method SM 5310 C Rev: 21st ED

Dissolved organic carbon (DOC)

IL

Total organic carbon

IL

End of Scope of Accreditation